

## POST OFFICE PROTOCOL

### Status of this Memo

This RFC suggests a simple method for workstations to dynamically access mail from a mailbox server. This RFC specifies a proposed protocol for the ARPA-Internet community, and requests discussion and suggestions for improvement.

### Introduction

The intent of the Post Office Protocol (POP) is to allow a user's workstation to access mail from a mailbox server. It is expected that mail will be posted from the workstation to the mailbox server via the Simple Mail Transfer Protocol (SMTP). For further information see RFC-821 [1] and RFC-822 [2].

The status of this protocol is experimental, and this protocol is dependent upon TCP.

### The Protocol

The protocol is for the server to be listening for a connection. When a connection is opened the server sends a greeting message and waits for commands. When commands are received the server acts on them and responds with replies.

The client opens a connection, waits for the greeting, then sends the USER and then the PASS commands to establish authorization to access mailboxes. The client begins a mail reading transaction with either an RDEL (to read and delete all messages from a mailbox) or a RETR (to simply read all messages from a mailbox). The server opens and locks the mailbox, and responds with the number of characters in the mailbox. Then the client asks for the data to be sent by issuing the RCEV command. The server responds by sending the mail data. When all the data has been received the client sends the RCVD command. If the transaction started with the RDEL command the server now deletes the mail data from the mailbox. In any case, the server closes and unlocks the mailbox. The client terminates the session with the QUIT command.

## The Normal Scenario

Client		Server
-----		-----
		Wait for Connection
Open Connection	-->	<-- +OK
		Wait for Command
USER Fred	-->	<-- +OK
		Wait for Command
PASS password	-->	<-- +OK
		Wait for Command
RDEL mailbox	-->	(open and lock mailbox)
		<-- #xxx
		Wait for Command
RCEV	-->	<-- (send a copy of mail)
		Wait for Command
RCVD	-->	(deletes mail from mailbox, unlock and close mailbox)
		<-- +OK
		Wait for Command
QUIT	-->	<-- +OK
Close connection	-->	<-- Close connection
		Wait for Connection (go back to start)

## Definitions of Commands and Replies

## Summary of Commands and Replies

Commands	Replies
-----	-----
USER name	+OK
PASS password	-Error
RETR mailbox	#xxx
RDEL mailbox	
RCEV	
RCVD	
QUIT	
NOOP	
RSET	

## Commands

## USER name

This command identifies the user to the server. It must be followed by the PASS command.

Possible responses: "+OK" or "-ERR"

## PASS password

The PASS command carries the password authenticating this user. Together the USER name and PASS password are used by the server to control access to the mailboxes.

Possible responses: "+OK" or "-ERR"

## RETR mailbox

This command begins a mail reading transaction. The RETR command is used to read all the messages in a mailbox without deleting them. It must be followed by the RCEV command.

Possible responses: "#xxx" or "-ERR"

## RDEL mailbox

This command begins a mail reading transaction. The RDEL command is used to read all the messages in a mailbox and delete them. It must be followed by the RCEV command.

Possible responses: "#xxx" or "-ERR"

## RCEV

This command confirms that the client is ready to receive the mail data. It must be followed by the RCVD command.

Possible responses: "+OK" or (connection aborted)

## RCVD

This command confirms that the client has received and accepted the mail. The RCVD command ends the mail reading transaction. In the case of the RDEL transaction, it is possible that the mail is not necessarily deleted. This is indicated by an error reply.

Possible responses: "+OK" or "-ERR"

## QUIT

This command indicates the client is done with the session.  
The server sends an OK response and then closes the connection.

Possible responses: "+OK" then Close

## NOOP

This is the no operation command. It causes no action on the part of the server except an OK response.

Possible response: "+OK"

## RSET

This command causes the server to abort the current transaction and return to waiting for a command (one of RDEL, RETR, QUIT, NOOP, or RSET). When aborting a transaction the server must take care to properly close and unlock the mailbox.

Possible response: "+OK"

## Acknowledgment

I would like to acknowledge the contributions of Jon Postel, Joel Goldberger, Dale Chase, and Michael Butler in the development of the Post Office Protocol.

## References

- [1] Postel, J., "Simple Mail Transfer Protocol", RFC-821, USC/Information Sciences Institute, August 1982.
- [2] Crocker, D., "Standard for the Format of ARPA-Internet Text Messages", RFC-822, University of Delaware, August 1982.

```

sequenceDiagram
    participant User
    participant S as S
    participant C as C
    participant S2 as S
    participant C2 as C
    participant S3 as S
    participant C3 as C
    participant S4 as S
    participant C4 as C
    participant S5 as S
    participant C5 as C

    User->>S: Open
    S->>C: +OK
    C->>S2: USER
    S2->>C2: +OK
    C2->>S3: PASS
    S3->>C3: +OK
    C3->>S4: -ERR
    S4->>C4: -ERR
    C4->>S5: -ERR
    S5->>C5: -ERR
    C5->>S6: -ERR
    S6->>C6: -ERR
    C6->>S7: -ERR
    S7->>C7: -ERR
    C7->>S8: -ERR
    S8->>C8: -ERR
    C8->>S9: -ERR
    S9->>C9: -ERR
    C9->>S10: -ERR
    S10->>C10: -ERR
    C10->>S11: -ERR
    S11->>C11: -ERR
    C11->>S12: -ERR
    S12->>C12: -ERR
    C12->>S13: -ERR
    S13->>C13: -ERR
    C13->>S14: -ERR
    S14->>C14: -ERR
    C14->>S15: -ERR
    S15->>C15: -ERR
    C15->>S16: -ERR
    S16->>C16: -ERR
    C16->>S17: -ERR
    S17->>C17: -ERR
    C17->>S18: -ERR
    S18->>C18: -ERR
    C18->>S19: -ERR
    S19->>C19: -ERR
    C19->>S20: -ERR
    S20->>C20: -ERR
    C20->>S21: -ERR
    S21->>C22: -ERR
    C22->>S23: -ERR
    S23->>C24: -ERR
    C24->>S25: -ERR
    S25->>C26: -ERR
    C26->>S27: -ERR
    S27->>C28: -ERR
    C28->>S29: -ERR
    S29->>C29: -ERR
    C29->>S30: -ERR
    S30->>C30: -ERR
    C30->>S31: -ERR
    S31->>C31: -ERR
    C31->>S32: -ERR
    S32->>C32: -ERR
    C32->>S33: -ERR
    S33->>C33: -ERR
    C33->>S34: -ERR
    S34->>C34: -ERR
    C34->>S35: -ERR
    S35->>C35: -ERR
    C35->>S36: -ERR
    S36->>C36: -ERR
    C36->>S37: -ERR
    S37->>C37: -ERR
    C37->>S38: -ERR
    S38->>C38: -ERR
    C38->>S39: -ERR
    S39->>C39: -ERR
    C39->>S40: -ERR
    S40->>C40: -ERR
    C40->>S41: -ERR
    S41->>C41: -ERR
    C41->>S42: -ERR
    S42->>C42: -ERR
    C42->>S43: -ERR
    S43->>C43: -ERR
    C43->>S44: -ERR
    S44->>C44: -ERR
    C44->>S45: -ERR
    S45->>C45: -ERR
    C45->>S46: -ERR
    S46->>C46: -ERR
    C46->>S47: -ERR
    S47->>C47: -ERR
    C47->>S48: -ERR
    S48->>C48: -ERR
    C48->>S49: -ERR
    S49->>C49: -ERR
    C49->>S50: -ERR
    S50->>C50: -ERR
    C50->>S51: -ERR
    S51->>C51: -ERR
    C51->>S52: -ERR
    S52->>C52: -ERR
    C52->>S53: -ERR
    S53->>C53: -ERR
    C53->>S54: -ERR
    S54->>C54: -ERR
    C54->>S55: -ERR
    S55->>C55: -ERR
    C55->>S56: -ERR
    S56->>C56: -ERR
    C56->>S57: -ERR
    S57->>C57: -ERR
    C57->>S58: -ERR
    S58->>C58: -ERR
    C58->>S59: -ERR
    S59->>C59: -ERR
    C59->>S60: -ERR
    S60->>C60: -ERR
    C60->>S61: -ERR
    S61->>C61: -ERR
    C61->>S62: -ERR
    S62->>C62: -ERR
    C62->>S63: -ERR
    S63->>C63: -ERR
    C63->>S64: -ERR
    S64->>C64: -ERR
    C64->>S65: -ERR
    S65->>C65: -ERR
    C65->>S66: -ERR
    S66->>C66: -ERR
    C66->>S67: -ERR
    S67->>C67: -ERR
    C67->>S68: -ERR
    S68->>C68: -ERR
    C68->>S69: -ERR
    S69->>C69: -ERR
    C69->>S70: -ERR
    S70->>C70: -ERR
    C70->>S71: -ERR
    S71->>C71: -ERR
    C71->>S72: -ERR
    S72->>C72: -ERR
    C72->>S73: -ERR
    S73->>C73: -ERR
    C73->>S74: -ERR
    S74->>C74: -ERR
    C74->>S75: -ERR
    S75->>C75: -ERR
    C75->>S76: -ERR
    S76->>C76: -ERR
    C76->>S77: -ERR
    S77->>C77: -ERR
    C77->>S78: -ERR
    S78->>C78: -ERR
    C78->>S79: -ERR
    S79->>C79: -ERR
    C79->>S80: -ERR
    S80->>C80: -ERR
    C80->>S81: -ERR
    S81->>C81: -ERR
    C81->>S82: -ERR
    S82->>C82: -ERR
    C82->>S83: -ERR
    S83->>C83: -ERR
    C83->>S84: -ERR
    S84->>C84: -ERR
    C84->>S85: -ERR
    S85->>C85: -ERR
    C85->>S86: -ERR
    S86->>C86: -ERR
    C86->>S87: -ERR
    S87->>C87: -ERR
    C87->>S88: -ERR
    S88->>C88: -ERR
    C88->>S89: -ERR
    S89->>C89: -ERR
    C89->>S90: -ERR
    S90->>C90: -ERR
    C90->>S91: -ERR
    S91->>C91: -ERR
    C91->>S92: -ERR
    S92->>C92: -ERR
    C92->>S93: -ERR
    S93->>C93: -ERR
    C93->>S94: -ERR
    S94->>C94: -ERR
    C94->>S95: -ERR
    S95->>C95: -ERR
    C95->>S96: -ERR
    S96->>C96: -ERR
    C96->>S97: -ERR
    S97->>C97: -ERR
    C97->>S98: -ERR
    S98->>C98: -ERR
    C98->>S99: -ERR
    S99->>C99: -ERR
    C99->>S100: -ERR
    S100->>C100: -ERR
    C100->>S101: -ERR
    S101->>C101: -ERR
    C101->>S102: -ERR
    S102->>C102: -ERR
    C102->>S103: -ERR
    S103->>C103: -ERR
    C103->>S104: -ERR
    S104->>C104: -ERR
    C104->>S105: -ERR
    S105->>C105: -ERR
    C105->>S106: -ERR
    S106->>C106: -ERR
    C106->>S107: -ERR
    S107->>C107: -ERR
    C107->>S108: -ERR
    S108->>C108: -ERR
    C108->>S109: -ERR
    S109->>C109: -ERR
    C109->>S110: -ERR
    S110->>C110: -ERR
    C110->>S111: -ERR
    S111->>C111: -ERR
    C111->>S112: -ERR
    S112->>C112: -ERR
    C112->>S113: -ERR
    S113->>C113: -ERR
    C113->>S114: -ERR
    S114->>C114: -ERR
    C114->>S115: -ERR
    S115->>C115: -ERR
    C115->>S116: -ERR
    S116->>C116: -ERR
    C116->>S117: -ERR
    S117->>C117: -ERR
    C117->>S118: -ERR
    S118->>C118: -ERR
    C118->>S119: -ERR
    S119->>C119: -ERR
    C119->>S120: -ERR
    S120->>C120: -ERR
    C120->>S121: -ERR
    S121->>C121: -ERR
    C121->>S122: -ERR
    S122->>C122: -ERR
    C122->>S123: -ERR
    S123->>C123: -ERR
    C123->>S124: -ERR
    S124->>C124: -ERR
    C124->>S125: -ERR
    S125->>C125: -ERR
    C125->>S126: -ERR
    S126->>C126: -ERR
    C126->>S127: -ERR
    S127->>C127: -ERR
    C127->>S128: -
```

